Space Ritas Cured Resin Batter 1g

Sample ID: 2307APO1646.7887 Strain: Space Ritas

Matrix: Concentrates & Extracts Type: Budder Produced: Collected: 07/05/2023 12:22 pm Received: 07/05/2023 Completed: 07/10/2023 Batch #: SPR070523 Client

Solventless Refinery Lic. # 00000111ESTX14447382/00000012DCJT00224887

Lot #:



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/07/2023	Complete
Terpenes	07/08/2023	Complete
Residual Solvents	07/07/2023	Pass
Microbials	07/10/2023	Pass
Mycotoxins	07/06/2023	Pass
Pesticides	07/06/2023	Pass
Heavy Metals	07/07/2023	Pass

Cannabinoids Complete

80.7217% 0.1446% 91.9279% 7.3578%

Total THC Total CBD Total Cannabinoids (Q3) Total Terpenes (Q3)

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa		0.1000	80.3693	803.693
Δ9-THC		0.1000	10.2379	102.379
Δ8-ΤΗС		0.1000	ND	ND
THCV		0.1000	0.1257	1.257
CBDa		0.1000	0.1649	1.649
CBD		0.1000	ND	ND
CBDVa		0.1000	ND	ND
CBDV		0.1000	ND	ND
CBN		0.1000	ND	ND
CBGa		0.1000	0.6418	6.418
CBG		0.1000	0.2579	2.579
CBC		0.1000	0.1304	1.304
Total THC			80.7217	807.2170
Total CBD			0.1446	1.4460
Total			91.9279	919.279

Date Tested: 07/07/2023 07:00 am





Bryant Kearl Lab Director 07/10/2023



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 6

Space Ritas Cured Resin Batter 1g

Sample ID: 2307APO1646.7887

Strain: Space Ritas

Matrix: Concentrates & Extracts Type: Budder Produced: Collected: 07/05/2023 12:22 pm Received: 07/05/2023 Completed: 07/10/2023 Batch #: SPR070523 Client

Solventless Refinery

Lic. # 00000111ESTX14447382/00000012DCJT00224887

Lot #:

Pesticides											Pass
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND	M2	Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	lmazalil	0.1000	0.2000	ND		Pass
Acequinocyl	1.0000	2.0000	ND	M2	Pass	Imidacloprid	0.2000	0.4000	ND	M1	Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Myclobutanil Myclobutanil	0.1000	0.2000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Permethrins	0.1000	0.2000	ND	M2	Pass
Chlorpyrifos	0.1000	0.2000	ND	M2	Pass	Phosmet	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	M1	Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Pyridaben	0.1000	0.2000	ND	M2	Pass
Dimethoate	0.1000	0.2000	ND		Pass	Spinosad	0.1000	0.2000	ND	M1	Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND	M2	Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiroxamine	0.2000	0.4000	ND	M1	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Trifloxystrobin	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass		0.2000	0.2000			. 433

LABS

Herbicides

Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM		
Pendimethalin	0.0500	0.1000	ND		Pass

Date Tested: 07/06/2023 07:00 am Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.





Bryant Kearl Lab Director 07/10/2023



Pass

Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

regulatory Compliance resting

3 of 6

Space Ritas Cured Resin Batter 1g

Sample ID: 2307APO1646.7887

Strain: Space Ritas

E. Coli

Matrix: Concentrates & Extracts Type: Budder Produced: Collected: 07/05/2023 12:22 pm Received: 07/05/2023 Completed: 07/10/2023 Batch #: SPR070523 Client

Solventless Refinery Lic. # 00000111ESTX14447382/00000012DCJT00224887

< 10 CFU/g

Lot #:

Microbials					Pass
Analyte	Limit		Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g		ND	Pass	
Aspergillus flavus	Detected/Not Detected in 1g		ND	Pass	
Aspergillus fumigatus	Detected/Not Detected in 1g		ND	Pass	
Aspergillus niger	Detected/Not Detected in 1g		ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g		ND	Pass	
Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		,

Date Tested: 07/10/2023 12:00 am

Mycotoxins Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/kg	µg/kg	µg/kg	μg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	

L A B S

Date Tested: 07/06/2023 07:00 am

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/g	μg/g	µg/g	μg/g		_
Arsenic	0.066	0.133	0.4	ND	Pass	
Cadmium	0.066	0.133	0.4	ND	Pass	
Lead	0.166	0.333	1	ND	Pass	
Mercury	0.2	0.4	1.2	ND	Pass	

Date Tested: 07/07/2023 12:00 am





Bryant Kearl Lab Director 07/10/2023



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

4 of 6

Space Ritas Cured Resin Batter 1g

Sample ID: 2307APO1646.7887

Strain: Space Ritas

Matrix: Concentrates & Extracts Type: Budder Produced: Collected: 07/05/2023 12:22 pm Received: 07/05/2023 Completed: 07/10/2023 Batch #: SPR070523 Client

Solventless Refinery

Lic. # 00000111ESTX14447382/00000012DCJT00224887

Lot #:

Residual Solvents

Analyte	LOQ	Limit	Mass	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Propane	1907.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

LABS

Date Tested: 07/07/2023 12:00 am





Confident Cannabis All Rights Reserved - support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Lab Director

07/10/2023

Q

Q3

Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255

(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

5 of 6

Space Ritas Cured Resin Batter 1g

Sample ID: 2307APO1646.7887 Strain: Space Ritas

Matrix: Concentrates & Extracts Type: Budder

Produced: Collected: 07/05/2023 12:22 pm Received: 07/05/2023 Completed: 07/10/2023 Batch #: SPR070523

Client

Solventless Refinery Lic. # 00000111ESTX14447382/00000012DCJT00224887

Lot #:

Terpenes

Analyte	LOQ	Mass	Mass	Q	Analyte	LOQ	Mass	Mass
	%	%	mg/g			%	%	mg/g
Limonene	0.0054	2.4243	24.243	Q3	Cedrol	0.0060	ND	ND
trans-Caryophyllene	0.0057	1.7141	17.141	Q3	cis-β-Farnesene	0.0074	ND	ND
α-Pinene	0.0056	0.5156	5.156	Q3	cis-Nerolidol	0.0086	ND	ND
α-Humulene	0.0059	0.5099	5.099	Q3	Eucalyptol	0.0054	ND	ND
Linalool	0.0061	0.5010	5.010	Q3	α-Farnesene	0.0073	ND	ND
β-Pinene	0.0049	0.3931	3.931	Q3	Fenchone	0.0064	ND	ND
Endo-Fenchyl Alcohol	0.0136	0.3877	3.877	Q3	y-Terpinene	0.0049	ND	ND
Ocimene	0.0057	0.2605	2.605	Q3	Geraniol	0.0083	ND	ND
β-Myrcene	0.0055	0.1951	1.951	Q3	Geranyl Acetate	0.0082	ND	ND
α-Bisabolol	0.0072	0.1675	1.675	Q3	Guaiol	0.0065	ND	ND
Caryophyllene Oxide	0.0064	0.1187	1.187	Q3	Hexahydro Thymol	0.0109	ND	ND
Camphene	0.0039	0.0659	0.659	Q3	Isoborneol	0.0115	ND	ND
Borneol	0.0062	0.0604	0.604	Q3	Isopulegol	0.0079	ND	ND
Terpinolene	0.0047	0.0439	0.439	Q3	Nerol	0.0108	ND	ND
3-Carene	0.0051	ND	ND	Q3	Pulegone	0.0072	ND	ND
α-Cedrene	0.0052	ND	ND	Q3	Sabinene	0.0061	ND	ND
α-Phellandrene	0.0042	ND	ND	Q3	Sabinene Hydrate	0.0086	ND	ND
α-Terpinene	0.0105	ND	ND	Q3	trans-Nerolidol	0.0089	ND	ND
trans-β-Farnesene	0.0049	ND	ND	Q3	Valencene	0.0061	ND	ND
Camphor	0.0154	ND	ND	Q3	Total		7.3578	73.578

Primary Aromas











Date Tested: 07/08/2023 07:00 am Terpenes analysis is not regulated by AZDHS.





Bryant Kearl Lab Director 07/10/2023



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

6 of 6

Space Ritas Cured Resin Batter 1g

Sample ID: 2307APO1646.7887 Strain: Space Ritas

Matrix: Concentrates & Extracts Type: Budder Produced: Collected: 07/05/2023 12:22 pm Received: 07/05/2023 Completed: 07/10/2023 Batch #: SPR070523 Client

Solventless Refinery Lic. # 00000111ESTX14447382/00000012DCJT00224887

Lot #:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$, but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317







